

TABLE 46

LIVE BIRTHS BY COLOR: NUMBER AND RATE PER 1,000 POPULATION, AND
PERCENT OCCURRING IN HOSPITALS, OHIO, 1940-1981

Year	Total		White		Nonwhite		In Hospital	
	Number	Rate	Number	Rate	Number	Rate	Number	Percent
Recorded								
1940	114,895	16.6	108,786	16.5	6,109	17.9	71,884	62.6
1941	122,456	17.7	115,848	17.6	6,608	19.3	85,506	69.8
1942	143,610	20.6	136,570	20.6	7,040	20.5	109,680	76.4
1943	143,094	20.8	135,656	20.8	7,438	21.9	110,297	77.1
1944	132,530	19.4	125,022	19.2	7,508	22.2	111,339	84.0
1945	131,907	19.2	123,664	18.9	8,243	24.3	115,381	87.5
Resident								
1946	169,063	22.6	158,885	22.3	10,178	27.5	152,477	90.2
1947	196,829	25.4	184,469	25.0	12,360	32.3	181,500	92.2
1948	185,696	23.4	172,129	22.8	13,567	34.6	173,393	93.4
1949	188,836	23.8	174,509	23.2	14,327	36.6	178,150	94.3
1950	185,559	23.4	170,674	23.0	14,885	28.7	176,762	95.3
1951	199,429	24.7	183,132	24.2	16,297	30.9	192,693	96.6
1952	206,779	25.3	189,124	24.7	17,655	33.1	201,511	97.5
1953	210,727	25.4	191,533	24.7	19,194	35.4	206,546	98.0
1954	222,266	26.4	201,265	25.5	21,001	38.2	218,353	98.2
1955	222,689	26.0	201,013	25.1	21,676	38.8	219,290	98.5
1956	234,517	25.9	210,935	24.9	23,582	39.9	231,570	98.7
1957	243,470	26.3	218,742	25.3	24,728	40.9	240,729	98.9
1958	234,040	24.7	209,452	23.7	24,588	39.8	231,336	98.8
1959	232,578	24.1	207,653	23.0	24,925	39.6	230,181	99.0
1960	230,219	23.6	205,851	23.0	24,368	30.5	227,975	99.0
1961	229,708	23.1	205,219	22.5	24,489	30.0	227,704	99.1
1962	217,465	21.5	194,023	20.9	23,442	28.3	215,622	99.2
1963	212,583	20.7	189,967	20.2	22,616	26.8	211,011	99.3
1964	209,480	20.1	187,096	19.6	22,384	26.2	208,138	99.4
1965	194,927	18.5	173,914	17.9	21,013	24.2	193,775	99.4
1966	190,444	17.8	169,549	17.3	20,895	23.8	189,527	99.5
1967	185,204	17.2	164,496	16.7	20,708	23.5	184,359	99.5
1968	185,580	17.2	163,716	16.5	21,864	24.7	184,712	99.5
1969	189,099	17.5	166,293	16.8	22,806	25.7	188,366	99.6
1970	199,781	18.8	174,618	18.1	25,163	25.0	199,008	99.6
1971	189,919	17.8	164,799	17.1	25,120	25.0	189,129	99.6
1972	169,151	15.9	146,117	15.1	23,034	22.9	168,324	99.5
1973	160,436	15.1	138,929	14.4	21,507	21.4	159,677	99.5
1974	160,199	15.0	138,602	14.4	21,597	21.5	159,413	99.5
1975	158,341	14.9	136,454	14.1	21,887	21.8	157,533	99.5
1976	155,215	14.6	133,795	13.9	21,420	21.3	154,333	99.4
1977	161,239	15.1	139,011	14.4	22,228	22.1	160,221	99.4
1978	160,850	15.1	137,032	14.2	23,818	23.7	159,590	99.2
1979	166,731	15.7	141,899	14.7	24,832	24.7	165,416	99.2
1980	168,745	15.6	143,723	15.0	25,022	20.8	167,466	99.2
1981	166,971	15.5	142,260	14.3	24,711	20.6	165,678	99.2

TABLE 47

RESIDENT LIVE BIRTHS, CLASSIFIED BY COLOR AND AGE OF MOTHER,
OHIO, 1957 - 1981

Year and Color	Total	Age Group							45 & Over	Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44		
1957	243,470	283	30,409	78,501	66,812	42,046	20,247	4,877	217	78
White	218,742	157	26,054	70,312	60,536	38,317	18,564	4,524	205	73
Nonwhite	24,728	126	4,355	8,189	6,276	3,729	1,683	353	12	5
1958	234,040	249	29,039	76,569	62,909	40,218	19,930	4,823	232	71
White	209,452	109	24,662	68,362	56,876	36,510	18,207	4,444	217	65
Nonwhite	24,588	140	4,377	8,207	6,033	3,708	1,723	379	15	6
1959	232,578	262	28,625	78,351	61,383	39,195	19,767	4,681	231	83
White	207,653	124	23,922	70,298	55,299	35,384	18,048	4,287	218	73
Nonwhite	24,925	138	4,703	8,053	6,084	3,811	1,719	394	13	10
1960	230,219	233	29,093	78,667	60,459	37,392	19,194	4,835	255	91
White	205,851	113	24,652	70,901	54,398	33,615	17,413	4,441	236	82
Nonwhite	24,368	120	4,441	7,766	6,061	3,777	1,781	394	19	9
1961	229,708	302	29,136	79,100	59,453	37,395	19,119	4,912	231	60
White	205,219	142	24,773	70,964	53,570	33,587	17,394	4,521	214	54
Nonwhite	24,489	160	4,363	8,136	5,883	3,808	1,725	391	17	6
1962	217,465	253	27,695	76,848	56,152	33,931	17,609	4,664	261	52
White	194,023	110	23,522	69,039	50,584	30,442	15,799	4,235	242	50
Nonwhite	23,442	143	4,173	7,809	5,568	3,489	1,810	429	19	2
1963	212,583	266	26,035	76,838	55,675	31,900	16,836	4,736	256	41
White	189,967	112	21,795	69,405	50,374	28,575	15,112	4,325	231	38
Nonwhite	22,616	154	4,240	7,433	5,301	3,325	1,724	411	25	3
1964	209,480	289	27,151	75,299	54,338	30,909	16,609	4,636	215	34
White	187,096	113	22,631	67,981	49,274	27,733	14,951	4,186	195	32
Nonwhite	22,384	176	4,520	7,318	5,064	3,176	1,658	450	20	2

Table 47 (Continued)

Year and Color	Total	Age Group								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Over	
1965	194,927	286	28,491	70,138	49,480	27,449	14,562	4,245	253	23
White	173,914	111	23,374	63,518	45,008	24,773	13,069	3,815	228	18
Nonwhite	21,013	175	5,117	6,620	4,472	2,676	1,493	430	25	5
1966	190,444	324	31,392	69,232	47,275	24,987	13,256	3,717	232	29
White	169,549	120	25,684	62,619	43,200	22,442	11,905	3,349	206	24
Nonwhite	20,895	204	5,708	6,613	4,075	2,545	1,351	368	26	5
1967	185,204	359	29,845	69,336	47,028	23,213	11,656	3,532	202	33
White	164,496	136	23,917	62,606	43,066	20,911	10,447	3,200	183	30
Nonwhite	20,708	223	5,928	6,730	3,962	2,302	1,209	332	19	3
1968	185,580	410	30,021	69,746	49,324	22,080	10,578	3,164	202	55
White	163,716	156	23,580	62,648	44,997	19,854	9,407	2,846	177	51
Nonwhite	21,864	254	6,441	7,098	4,327	2,226	1,171	318	25	4
1969	189,099	435	30,446	72,570	51,075	22,100	9,533	2,736	157	47
White	166,293	173	23,628	64,935	46,633	19,845	8,449	2,446	143	41
Nonwhite	22,806	262	6,818	7,635	4,442	2,255	1,084	290	14	6
1970	199,781	485	33,143	78,245	53,207	22,765	9,235	2,516	147	38
White	174,618	191	25,728	69,429	48,476	20,292	8,127	2,217	127	31
Nonwhite	25,163	294	7,415	8,816	4,731	2,473	1,108	299	20	7
1971	189,919	573	32,297	74,318	50,610	21,546	8,328	2,086	124	37
White	164,799	228	24,928	65,374	45,811	19,260	7,262	1,798	105	33
Nonwhite	25,120	345	7,369	8,944	4,799	2,286	1,066	288	19	4
1972	169,151	550	30,983	62,232	46,682	19,588	7,099	1,884	108	25
White	146,117	229	23,838	54,359	42,324	17,438	6,186	1,634	86	23
Nonwhite	23,034	321	7,145	7,873	4,358	2,150	913	250	22	2
1973	160,436	535	30,586	57,046	45,613	18,800	6,182	1,557	96	21
White	138,929	237	23,629	49,841	41,540	16,830	5,397	1,349	85	21
Nonwhite	21,507	298	6,957	7,205	4,073	1,970	785	208	11	-

Table 47 (Continued)

Year and Color	Total	Age Group								45 & Over	Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44			
1974	160,199	551	30,802	56,650	47,213	17,954	5,608	1,310	95	16	
White	138,602	248	23,983	49,371	42,785	16,034	4,939	1,151	77	14	
Nonwhite	21,597	303	6,819	7,279	4,428	1,920	669	159	18	2	
1975	158,341	586	29,891	55,669	47,882	17,684	5,360	1,196	64	9	
White	136,454	308	23,142	47,968	43,371	15,840	4,717	1,044	57	7	
Nonwhite	21,887	278	6,749	7,701	4,511	1,844	643	152	7	2	
1976	155,215	486	28,156	54,101	48,576	17,543	5,212	1,062	56	23	
White	133,795	247	21,962	46,680	43,704	15,677	4,537	913	52	23	
Nonwhite	21,420	239	6,194	7,421	4,872	1,866	675	149	4	-	
1977	161,239	454	27,365	56,468	50,611	20,001	5,215	1,054	46	25	
White	139,011	247	21,239	48,644	45,419	17,923	4,558	921	40	20	
Nonwhite	22,228	207	6,126	7,824	5,192	2,078	657	133	6	5	
1978	160,850	375	26,416	56,844	49,982	20,989	5,293	891	41	19	
White	137,032	190	20,207	47,934	44,541	18,749	4,596	762	36	17	
Nonwhite	23,818	185	6,209	8,910	5,441	2,240	697	129	5	2	
1979	166,731	402	26,520	58,584	51,900	22,919	5,387	946	52	21	
White	141,899	196	20,254	49,476	46,079	20,362	4,684	787	43	18	
Nonwhite	24,832	206	6,266	9,108	5,821	2,557	703	159	9	3	
1980	168,745	353	26,140	59,758	52,360	23,810	5,350	913	43	18	
White	143,723	167	20,173	50,579	46,329	21,056	4,599	770	32	18	
Nonwhite	25,022	186	5,967	9,179	6,031	2,754	751	143	11	-	
1981	166,971	396	24,123	58,056	52,682	25,304	5,470	896	31	13	
White	142,260	185	18,543	49,002	46,607	22,361	4,764	759	28	11	
Nonwhite	24,711	211	5,580	9,054	6,075	2,943	706	137	3	2	

TABLE 48

FERTILITY RATES ^{1/}, CLASSIFIED BY COLOR AND AGE OF MOTHER, OHIO, 1972 - 1981

Color and Age Group	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981
TOTAL	75.3	71.5	71.4	70.5	69.1	71.8	71.6	74.3	67.4	66.7
Under 15	1.0	1.0	1.0	1.1	0.9	0.8	0.7	0.7	0.8	0.9
15 - 19	61.1	60.4	60.8	59.0	55.6	54.0	52.1	52.3	52.3	48.3
20 - 24	138.8	127.2	126.3	124.1	120.6	125.9	126.8	130.6	117.0	113.7
25 - 29	131.9	128.9	133.4	135.3	137.2	143.0	141.2	146.6	114.0	114.7
30 - 34	63.5	60.9	58.2	57.3	56.9	64.8	68.0	74.3	57.3	60.8
35 - 39	23.9	20.8	18.9	18.0	17.5	17.5	17.8	18.1	16.2	16.6
40 - 44	5.7	4.7	4.0	3.6	3.2	3.2	2.7	2.9	3.2	3.1
45 and Over	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.2	0.2	0.1
WHITE	72.5	68.9	68.7	67.7	66.3	68.9	67.9	70.4	65.2	64.6
Under 15	0.5	0.5	0.5	0.6	0.5	0.5	0.4	0.4	0.4	0.5
15 - 19	52.6	52.1	52.9	51.0	48.4	46.8	44.6	44.7	46.3	42.5
20 - 24	134.4	123.2	122.1	118.6	115.4	120.3	118.5	122.3	113.4	109.9
25 - 29	132.4	130.0	133.9	135.7	136.7	142.1	139.4	144.2	115.1	115.8
30 - 34	63.0	60.8	57.9	57.2	56.6	64.8	67.7	73.6	57.2	60.7
35 - 39	23.3	20.3	18.6	17.8	17.1	17.2	17.3	17.7	15.7	16.2
40 - 44	5.5	4.5	3.9	3.5	3.1	3.1	2.6	2.6	3.0	2.9
45 and Over	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1
NONWHITE	100.9	94.2	94.6	95.8	93.8	97.3	104.3	108.7	83.2	82.2
Under 15	5.1	4.8	4.9	4.5	3.8	3.3	3.0	3.3	3.3	3.7
15 - 19	134.1	130.6	128.0	126.7	116.2	114.9	116.5	117.6	93.8	87.7
20 - 24	178.9	163.7	165.4	175.0	168.6	177.8	202.5	207.0	141.7	139.8
25 - 29	126.9	118.6	128.9	131.4	141.9	151.2	158.4	169.5	106.4	107.1
30 - 34	67.7	62.0	60.4	58.0	58.7	65.4	70.5	80.5	58.0	62.0
35 - 39	28.6	24.6	20.9	20.1	21.1	20.5	21.8	22.0	20.9	19.6
40 - 44	7.6	6.3	4.8	4.6	4.5	4.0	3.9	4.8	4.4	4.3
45 and Over	0.7	0.4	0.6	0.2	0.1	0.2	0.2	0.3	0.4	0.1

^{1/} Female Population Age Groups Used to Compute the Rates for the Following Age Groups of Mother:AGE GROUP OF MOTHER

Under 15
45 and Over
All Ages

AGE GROUP OF POPULATION

10 - 14
45 - 49
15 - 44

TABLE 49

DEATHS BY COLOR: NUMBER AND RATE PER 1,000 POPULATION,
OHIO, 1940-1981

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Recorded						
1940	78,609	11.4	73,455	11.2	5,154	15.1
1941	77,525	11.2	72,238	11.0	5,287	15.4
1942	77,490	11.1	72,276	10.9	5,214	15.2
1943	82,030	11.9	76,582	11.7	5,448	16.1
1944	79,868	11.7	74,610	11.5	5,258	15.6
1945	77,625	11.3	72,460	11.1	5,165	15.2
Resident						
1946	77,905	10.4	72,928	10.3	4,977	13.5
1947	82,067	10.6	76,419	10.4	5,648	14.8
1948	80,519	10.1	74,741	9.9	5,778	14.7
1949	80,172	10.1	74,226	9.9	5,946	15.2
1950	80,505	10.1	74,721	9.9	5,784	14.7
1951	81,674	10.1	75,555	10.0	6,119	11.6
1952	83,670	10.2	77,470	10.1	6,200	11.6
1953	86,050	10.4	79,648	10.3	6,402	11.8
1954	82,598	9.8	76,259	9.7	6,339	11.5
1955	85,149	9.9	78,563	9.8	6,586	11.8
1956	87,669	9.7	80,783	9.5	6,886	11.7
1957	91,132	9.8	83,811	9.7	7,321	12.1
1958	91,425	9.7	84,072	9.5	7,353	11.9
1959	91,204	9.5	83,786	9.3	7,418	11.8
1960	93,259	9.6	85,651	9.6	7,608	9.5
1961	92,256	9.3	84,607	9.3	7,649	9.4
1962	95,174	9.4	87,417	9.4	7,757	9.4
1963	97,967	9.5	89,654	9.5	8,313	9.9
1964	96,555	9.3	88,292	9.2	8,263	9.7
1965	98,292	9.3	89,780	9.3	8,512	9.8
1966	98,921	9.3	90,284	9.2	8,637	9.8
1967	98,041	9.1	89,257	9.0	8,784	10.0
1968	102,928	9.5	93,514	9.4	9,414	10.6
1969	101,011	9.4	91,741	9.3	9,270	10.5
1970	100,264	9.4	90,784	9.4	9,480	9.4
1971	99,610	9.4	90,024	9.3	9,586	9.5
1972	101,826	9.6	91,875	9.5	9,951	9.9
1973	101,346	9.5	91,601	9.5	9,745	9.7
1974	99,101	9.3	89,555	9.3	9,546	9.5
1975	96,147	9.0	86,866	9.0	9,281	9.2
1976	96,000	9.0	86,684	9.0	9,316	9.3
1977	96,855	9.1	87,358	9.1	9,497	9.4
1978	96,528	9.1	87,048	9.0	9,480	9.4
1979	94,821	8.9	85,433	8.9	9,388	9.3
1980	98,268	9.1	88,375	9.2	9,893	8.2
1981	96,510	8.9	86,892	9.1	9,618	8.0

TABLE 50

INFANT DEATHS: NUMBER AND RATE PER 1,000 LIVE BIRTHS,
CLASSIFIED BY COLOR, OHIO, 1940-1981

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Recorded						
1940	4,739	41.2	4,398	40.4	341	55.8
1941	5,118	41.8	4,679	40.4	439	66.4
1942	5,336	37.2	4,921	36.0	415	53.9
1943	5,624	39.3	5,177	38.2	447	60.1
1944	5,137	33.8	4,703	37.6	434	57.8
1945	4,717	35.8	4,318	34.9	399	48.4
Resident						
1946	5,272	31.2	4,878	30.7	394	38.7
1947	5,813	29.5	5,304	28.8	509	41.2
1948	5,673	30.5	5,066	29.4	607	44.7
1949	5,302	28.1	4,712	27.0	590	41.2
1950	4,978	26.8	4,387	25.7	591	39.7
1951	5,092	25.5	4,494	24.5	598	36.7
1952	5,591	27.0	4,841	25.6	750	42.5
1953	5,531	26.2	4,788	25.0	743	38.7
1954	5,564	25.0	4,714	23.4	850	40.5
1955	5,530	24.8	4,660	22.2	870	40.1
1956	5,785	24.7	4,875	23.1	910	38.6
1957	6,008	24.7	4,991	22.8	1,017	41.1
1958	5,940	25.4	4,889	23.3	1,051	42.7
1959	5,799	24.9	4,769	23.0	1,030	41.3
1960	5,524	24.0	4,575	22.2	949	38.9
1961	5,298	23.1	4,438	21.6	860	35.1
1962	4,954	22.8	4,071	21.0	883	37.7
1963	4,938	23.2	4,098	21.6	840	37.1
1964	4,614	22.0	3,817	20.4	797	35.6
1965	4,346	22.3	3,564	20.5	782	37.2
1966	4,066	21.4	3,357	19.8	709	33.9
1967	3,824	20.6	3,129	19.0	695	33.6
1968	3,769	20.3	3,057	18.7	712	32.6
1969	3,665	19.4	3,015	18.1	650	28.5
1970	3,720	18.6	3,008	17.2	712	28.3
1971	3,477	18.3	2,745	16.7	732	29.1
1972	3,037	18.0	2,370	16.2	667	29.0
1973	2,784	17.4	2,207	15.9	577	26.8
1974	2,590	16.2	2,053	14.8	537	24.9
1975	2,498	15.8	1,953	14.3	545	24.9
1976	2,315	14.9	1,820	13.6	495	23.1
1977	2,241	13.9	1,771	12.7	470	21.1
1978	2,152	13.4	1,657	12.1	495	20.8
1979	2,137	12.8	1,645	11.6	492	19.8
1980	2,160	12.8	1,612	11.2	548	21.9
1981	2,058	12.3	1,543	10.8	515	20.8

TABLE 51

FETAL DEATHS: NUMBER AND RATE PER 1,000 LIVE BIRTHS,
CLASSIFIED BY COLOR, OHIO, 1940-1981

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Recorded						
1940	3,164	27.5	NA	NA	NA	NA
1941	3,312	27.0	NA	NA	NA	NA
1942	3,587	25.0	3,294	24.1	293	41.6
1943	3,391	23.7	3,103	22.9	288	38.7
1944	3,325	25.1	2,962	23.7	363	48.3
1945	3,275	24.8	2,937	23.7	338	41.0
Resident						
1946	4,016	23.8	3,593	22.6	423	41.6
1947	4,073	20.7	3,598	19.5	475	38.4
1948	3,810	20.5	3,353	19.5	457	33.7
1949	3,677	19.5	3,228	18.5	449	31.3
1950	3,401	18.3	2,959	17.3	442	29.7
1951	3,650	18.3	3,168	17.3	482	29.6
1952	3,595	17.4	3,143	16.6	452	25.6
1953	3,694	17.5	3,211	16.8	483	25.2
1954	3,733	16.8	3,229	16.0	504	24.0
1955	3,736	16.8	3,187	15.9	549	25.3
1956	3,682	15.7	3,135	14.9	547	23.2
1957	3,655	15.0	3,052	14.0	603	24.4
1958	3,535	15.1	3,008	14.4	527	21.4
1959	3,564	15.3	2,960	14.3	604	24.2
1960	3,347	14.5	2,842	13.8	505	20.7
1961	3,172	13.8	2,670	13.0	502	20.5
1962	3,155	14.5	2,630	13.6	525	22.4
1963	2,988	14.1	2,432	12.8	556	24.6
1964	2,953	14.1	2,440	13.0	513	22.9
1965	2,697	13.8	2,224	12.8	473	22.5
1966	2,659	14.0	2,204	13.0	455	21.8
1967	2,528	13.6	2,068	12.6	460	22.2
1968	2,467	13.3	1,983	12.1	484	22.1
1969	2,426	12.8	1,946	11.7	480	21.0
1970	2,503	12.5	2,019	11.6	484	19.2
1971	2,307	12.1	1,884	11.4	423	16.8
1972	2,032	12.0	1,613	11.0	419	18.2
1973	1,797	11.2	1,430	10.3	367	17.1
1974	1,745	10.9	1,390	10.0	355	16.4
1975	1,630	10.3	1,301	9.5	329	15.0
1976	1,418	9.1	1,123	8.4	295	13.8
1977	1,521	9.4	1,228	8.8	293	13.2
1978	1,528	9.5	1,231	9.0	297	12.5
1979	1,548	9.3	1,206	8.5	342	13.8
1980	1,458	8.6	1,162	8.1	296	11.8
1981	1,380	8.3	1,094	7.7	286	11.6

TABLE 52

MATERNAL DEATHS: NUMBER AND RATE PER 10,000 LIVE BIRTHS,
CLASSIFIED BY COLOR, OHIO, 1940-1981

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Recorded						
1940	366	31.9	341	31.3	25	40.9
1941	314	25.6	277	23.9	37	56.0
1942	295	20.5	265	19.4	30	42.6
1943	300	21.0	279	20.6	21	28.2
1944	252	19.0	221	17.7	31	41.3
1945	225	17.1	187	15.1	38	46.1
Resident						
1946	204	12.1	185	11.6	19	18.7
1947	226	11.5	200	10.8	26	21.0
1948	157	8.5	138	8.0	19	14.0
1949	108	5.7	93	5.3	15	10.5
1950	110	5.9	93	5.4	17	11.4
1951	108	5.4	84	4.6	24	14.7
1952	89	4.3	77	4.1	12	6.8
1953	97	4.6	80	4.2	17	8.9
1954	99	4.5	79	3.9	20	9.5
1955	88	4.0	72	3.6	16	7.4
1956	95	4.0	69	3.3	26	11.0
1957	76	3.1	60	2.7	16	6.5
1958	73	3.1	53	2.5	20	8.1
1959	80	3.4	57	2.7	23	9.2
1960	72	3.1	54	2.6	18	7.4
1961	58	2.5	43	2.1	15	6.1
1962	66	3.0	46	2.4	20	8.5
1963	63	3.0	47	2.5	16	7.1
1964	58	2.8	40	2.1	18	8.0
1965	43	2.2	30	1.7	13	6.2
1966	49	2.6	35	2.1	14	6.7
1967	50	2.7	39	2.4	11	5.3
1968	49	2.6	30	1.8	19	8.7
1969	43	2.3	32	1.9	11	4.8
1970	46	2.3	34	1.9	12	4.8
1971	35	1.8	26	1.6	9	3.6
1972	29	1.7	20	1.4	9	3.9
1973	21	1.3	15	1.1	6	2.8
1974	26	1.6	18	1.3	8	3.7
1975	21	1.3	15	1.1	6	2.7
1976	20	1.3	12	0.9	8	3.7
1977	19	1.2	13	0.9	6	2.7
1978	21	1.3	10	0.7	11	4.6
1979	14	0.8	7	0.5	7	2.8
1980	11	0.7	6	0.4	5	2.0
1981	20	1.2	11	0.8	9	3.6

TABLE 53

NEONATAL DEATHS: NUMBER AND RATE PER 1,000 LIVE BIRTHS,
CLASSIFIED BY COLOR, OHIO, 1940-1981

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Recorded						
1940	3,079	26.8	2,878	26.5	201	32.9
1941	3,225	26.3	2,973	25.7	252	38.1
1942	3,457	24.1	3,259	23.9	198	28.1
1943	3,483	24.3	3,220	23.7	263	35.4
1944	3,164	23.9	2,921	23.4	243	32.4
1945	2,984	22.6	2,751	22.2	233	28.3
Resident						
1946	3,897	23.1	3,610	22.7	287	28.2
1947	4,306	21.9	3,931	21.3	375	30.3
1948	4,038	21.7	3,618	21.0	420	31.0
1949	3,783	20.0	3,401	19.5	382	26.7
1950	3,667	19.8	3,264	19.1	403	27.1
1951	3,749	18.8	3,330	18.2	419	25.7
1952	4,064	19.7	3,530	18.7	534	30.2
1953	4,019	19.1	3,494	18.2	525	27.4
1954	4,189	18.8	3,564	17.7	625	29.8
1955	4,164	18.7	3,508	17.5	656	30.3
1956	4,413	18.8	3,756	17.8	657	27.9
1957	4,551	18.7	3,805	17.4	746	30.2
1958	4,521	19.3	3,755	17.9	766	31.2
1959	4,482	19.3	3,707	17.9	775	31.1
1960	4,227	18.4	3,512	17.1	715	29.3
1961	4,082	17.8	3,420	16.7	662	27.0
1962	3,835	17.6	3,174	16.4	661	28.2
1963	3,775	17.8	3,164	16.7	611	27.0
1964	3,560	17.0	2,954	15.8	606	27.1
1965	3,217	16.5	2,653	15.3	564	26.8
1966	3,095	16.3	2,572	15.2	523	25.0
1967	2,891	15.6	2,397	14.6	494	23.9
1968	2,868	15.5	2,352	14.4	516	23.6
1969	2,860	15.1	2,367	14.2	493	21.6
1970	2,845	14.2	2,337	13.4	508	20.2
1971	2,625	13.8	2,126	12.9	499	19.9
1972	2,203	13.0	1,745	11.9	458	19.9
1973	2,088	13.0	1,659	11.9	429	19.9
1974	1,889	11.8	1,510	10.9	379	17.5
1975	1,824	11.5	1,436	10.5	388	17.7
1976	1,727	11.1	1,363	10.2	364	17.0
1977	1,629	10.1	1,304	9.4	325	14.6
1978	1,491	9.3	1,142	8.3	349	14.7
1979	1,457	8.7	1,124	7.9	333	13.4
1980	1,464	8.7	1,121	7.8	343	13.7
1981	1,436	8.6	1,072	7.5	364	14.7

TABLE 54

DEATHS, CLASSIFIED BY AGE GROUP, OHIO, 1949 - 1981

Year	Total	Age Group						
		Under 1	1-4	5-14	15-24	25-44	45-64	65 +
1949	80,172	5,302	879	726	1,364	5,844	22,094	43,963
1950	80,505	4,978	857	729	1,252	5,740	21,381	45,568
1951	81,674	5,092	867	682	1,228	5,870	21,772	46,163
1952	83,670	5,591	895	745	1,279	5,337	21,958	47,365
1953	86,050	5,531	933	741	1,231	5,665	22,540	49,409
1954	82,598	5,564	812	687	1,058	5,495	21,239	47,743
1955	85,149	5,530	794	736	1,153	5,278	21,193	50,465
1956	87,669	5,785	828	797	1,155	5,528	21,559	52,017
1957	91,132	6,008	817	863	1,238	5,589	22,348	54,269
1958	91,425	5,940	887	851	1,113	5,361	21,874	55,399
1959	91,204	5,799	834	851	1,148	5,426	21,815	55,331
1960	93,259	5,524	815	798	1,124	5,253	22,095	57,650
1961	92,256	5,298	777	836	1,104	5,093	21,660	57,488
1962	95,174	4,954	738	821	1,180	5,196	22,406	59,879
1963	97,967	4,938	712	858	1,280	5,222	22,913	62,044
1964	96,555	4,614	695	885	1,432	5,347	23,052	60,530
1965	98,292	4,346	657	896	1,494	5,375	23,644	61,880
1966	98,921	4,066	669	826	1,702	5,441	23,644	62,573
1967	98,041	3,824	586	846	1,733	5,426	23,876	61,750
1968	102,928	3,769	601	902	1,996	5,560	25,260	64,840
1969	101,011	3,665	592	925	2,143	5,480	24,540	63,666
1970	100,264	3,720	514	870	2,177	5,414	24,682	62,887
1971	99,610	3,477	520	805	2,032	5,201	24,386	63,189
1972	101,826	3,037	513	784	2,159	5,187	24,949	65,197
1973	101,346	2,784	506	778	2,262	5,021	24,612	65,383
1974	99,101	2,590	467	685	2,200	4,865	24,167	64,127
1975	96,147	2,498	439	626	2,106	4,699	23,414	62,365
1976	96,000	2,315	383	615	2,108	4,517	23,278	62,784
1977	96,855	2,241	388	567	2,171	4,645	22,855	63,988
1978	96,528	2,152	374	602	2,200	4,474	22,408	64,318
1979	94,821	2,137	365	536	2,286	4,722	21,703	63,072
1980	98,268	2,160	384	530	2,180	4,784	21,706	66,524
1981	96,510	2,058	353	459	1,877	4,623	21,413	65,727

TABLE 55

LEADING CAUSES OF DEATH WITH RATES PER 100,000 POPULATION, OHIO, 1972 - 1981

Cause of Death and Death Code	1981	1980	1979	1978	1977	1976	1975	1974	1973	1972
ALL CAUSES (001-E999)	893.8	910.1	890.2	906.2	909.3	901.2	902.6	930.3	951.4	955.9
Diseases of Heart (390-398, 402,404-429)	357.3	363.0	357.2	366.6	366.7	364.5	361.4	377.1	387.3	389.0
Malignant Neoplasms (140-208)	195.6	196.1	190.3	189.6	185.1	182.7	178.7	174.7	174.7	172.2
Cerebrovascular Diseases (430-438)	72.4	76.2	77.7	81.7	87.6	88.5	94.2	101.1	102.7	104.2
Accidents (E800-E949)	37.1	41.0	44.5	42.5	39.9	41.0	41.7	44.0	48.6	49.7
Chronic Obstructive Pulmonary Diseases (490-496)	27.0	27.2	24.5	22.0	23.0	24.9	27.3	29.0	30.0	34.1
Pneumonia and Influenza (480-487)	20.7	23.2	17.2	21.9	19.9	22.8	21.2	21.1	24.1	25.7
Diabetes Mellitus (250)	18.9	18.2	17.6	18.4	18.2	19.1	19.6	20.6	21.4	22.3
Atherosclerosis (440)	13.6	14.5	15.3	17.8	18.0	17.4	17.3	20.0	20.2	20.4
Suicide (E950-E959)	13.2	12.9	13.6	13.2	13.4	13.5	13.4	13.3	13.0	13.0
Chronic Liver Disease and Cirrhosis (571)	11.6	12.3	12.3	12.7	12.2	14.0	14.0	14.1	14.7	13.4

Rates for 1972 through 1978 have been adjusted in order to be comparable to the rates for 1979-1981.

TABLE 56

MARRIAGES, DIVORCES AND ANNULMENTS: NUMBER AND RATE
PER 1,000 POPULATION, OHIO, 1950-1981

Year	Marriages		Divorces and Annulments ^{1/}	
	Number	Rate	Number	Rate
1950	75,136	9.5	21,853	2.7
1951	66,792	8.3	20,922	2.6
1952	60,922	7.4	21,854	2.7
1953	63,320	7.6	23,278	2.8
1954	58,921	7.0	21,665	2.6
1955	61,862	7.2	22,259	2.6
1956	62,947	6.9	21,344	2.4
1957	59,256	6.4	22,730	2.5
1958	65,240	6.9	21,555	2.3
1959	66,377	6.9	22,655	2.3
1960	68,043	7.0	23,021	2.4
1961	66,076	6.7	22,429	2.3
1962	66,963	6.6	23,268	2.3
1963	71,675	7.0	23,731	2.3
1964	74,979	7.2	25,053	2.4
1965	78,982	7.5	25,780	2.4
1966	80,794	7.6	27,914	2.6
1967	82,991	7.7	29,611	2.8
1968	87,361	8.1	31,256	2.9
1969	90,445	8.4	35,583	3.3
1970	90,056	8.5	39,302	3.7
1971	95,641	9.0	42,186	4.0
1972	96,297	9.0	44,673	4.2
1973	99,524	9.3	48,001	4.5
1974	102,458	9.6	49,239	4.6
1975	101,135	9.5	52,626	4.9
1976	96,776	9.1	59,251	5.6
1977	98,379	9.2	57,266	5.4
1978	103,754	9.7	59,200	5.6
1979	99,752	9.4	59,548	5.6
1980	99,832	9.2	58,309	5.4
1981	99,959	9.3	58,567	5.4

^{1/} Includes Dissolutions beginning with year 1975